



Product Code . EL-EELE-11410

Time Overcurrent Relay

Description

Time Overcurrent Relay

The relay parameters can be set manually or in conjunction with a PC via SCADA. The relay has three inverse current characteristics (normal, severely inverse and extremely inverse). Integrated program responsible for a self-test and the tripping test.

We are leading manufacturers, suppliers of Time Overcurrent Relay for Electronics Engineering Lab Equipments. Contact us to get high quality Time Overcurrent Relay for Electronics Engineering Lab Equipments for schools, colleges, universities, research labs, laboratories and various industries.

```
{ "@context": "https://schema.org/", "@type": "Product", "name": "Time Overcurrent Relay", "image": "http://www.educational-equipments.com/images/catalog/product/1935761359TimeOvercurrentRelayWithlogo.jpg", "description": "The relay parameters can be set manually or in conjunction with a PC via SCADA. The relay has three inverse current characteristics (normal, severely inverse and extremely inverse). Integrated program responsible for a self-test and the tripping test. We are leading manufacturers, suppliers of Time Overcurrent Relay for Electronics Engineering Lab Equipments. Contact us to get high quality Time Overcurrent Relay for Electronics Engineering Lab Equipments for schools, colleges, universities, research labs, laboratories and various industries.", "brand": "Educational Lab Equipments", "sku": "5", "gtin8": "5", "gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating", "ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "15" } }
```

Direct Contact Details  +91-98173-19615  sales@educational-equipments.com
 www.educational-equipments.com