

Product Code . EL-CTM-11728

CNC Trainer Lathe Machine

Description

CNC Trainer Lathe Machine

Specification:-

Max. Turning Dia: 55 mm

Max. Turning Length: 100 mm

Swing Over Bed: 150 mm

Std. Turning Dia.: 50 mm

Turret:-

Max. Boring Bar Dia.: 32 mm

Tool Cross Section: 16 x 16

Turret Type: Linear

No. Of Stations: 2

Axes Slides:-

X-Axis Stroke: 150 mm

Z-Axis Stroke: 100 mm

Rapid Traverse X-Axis: 15 m/min.

X-axis Guide Ways: LM

Rapid Traverse Z-Axis: 15 m/min.

Z-axis Guide Ways: LM

Main Spindle:-

Bore Through Spindle: 35 mm

Bar Capacity: 12 mm

Chuck Size: 80 mm

Spindle Drive:-

Spindle Motor Power: 1.5 HP

Speed Range (RPM): 4000

Accuracy:-

Position Accuracy: 0.015 mm

Repeatability: ±0.003 mm

Machine Dimensions:-

Dimension (L x B x H):- 1250 x 850 x 1650

Weight (Approx.):- 1000 kg
{ "@context": "https://schema.org/", "@type": "Product", "name": "CNC Trainer Lathe Machine", "image": "http://www.educational-equipments.com/images/catalog/product/1588297872CNCTrainerLatheMachineWithlogo.jpg", "description": "Max. Turning Dia: 55 mm Max. Turning Length: 100 mm Swing Over Bed: 150 mm Std. Turning Dia.: 50 mm Turret:- Max. Boring Bar Dia.: 32 mm Tool Cross Section: 16 x 16 Turret Type: Linear No. Of Stations: 2 Axes Slides:- X-Axis Stroke: 150 mm Z-Axis Stroke: 100 mm Rapid Traverse X-Axis: 15 m/min. X-axis Guide Ways: LM Rapid Traverse Z-Axis: 15 m/min. Z-axis Guide Ways: LM Main Spindle:- Bore Through Spindle: 35 mm Bar Capacity: 12 mm Chuck Size: 80 mm Spindle Drive:- Spindle Motor Power: 1.5 HP Speed Range (RPM): 4000 Accuracy:- Position Accuracy: 0.015 mm Repeatability: ±0.003 mm", "brand": "Educational Lab Equipments", "sku": "5", "gtin8": "5", "gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating", "ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "15" } }

Educational Lab Equipments,
#449, HSIIDC, Industrial Area, Saha, Haryana
Direct Contact Details +91-98173-19615 sales@educational-equipments.com
www.educational-equipments.com