

Product Code . EL-TWL-11796

Combined Flow Reactor



Description

Combined Flow Reactor

Specification:-

Stirrer for MFR: Stainless Steel Impeller and shaft coupled with FHP motor JLab make

Feed circulation: By compressed air.

Pressure Gauge: Bourdon type 0-2 Kg/cm²

The whole set-up is ingeniously designed and schematically arranged on a powder-coated rigid structure.

Feed Tank: Material Stainless Steel, Capacity - 20 Ltrs.

1st Reactor: Material Stainless Steel, Capacity 0.7 Ltrs. (approx)

2nd Reactor: Material Stainless Steel, Capacity 2 Ltrs (approx).

Flow Measurement: Rotameter 2 Nos. (one each for Reactants)

Piping: Stainless Steel and PVC

Pressure Regulator: 0-2 Kg/cm²

Objectives:-

Sponification Reaction Study in Coil Tube Type Plug Flow Reactor

Sponification Reaction Study in an MFR.

Sponification Reaction Study in a Combined Reactor

To determine Reaction Rate Constant.




Required for Operation:-

Water Supply & Drain

Compressed Air Supply at 2 Bar, 0.5 CFM.

Instruments, Laboratory Glassware, and Chemicals required for analysis as per the system adopted.

```
{ "@context": "https://schema.org/", "@type": "Product", "name": "Combined Flow Reactor", "image": "http://www.educational-equipments.com/images/catalog/product/2080568408CombinedFlowReactorWithlogo.jpg", "description": "Stirrer for MFR: Stainless Steel Impeller and shaft coupled with FHP motor JLab make Feed circulation: By compressed air. Pressure Gauge: Bourdon type 0-2 Kg/cm2 The whole set-up is ingeniously designed and schematically arranged on a powder-coated rigid structure. Feed Tank: Material Stainless Steel, Capacity - 20 Ltrs. 1st Reactor: Material Stainless Steel, Capacity 0.7 Ltrs. (approx) 2nd Reactor: Material Stainless Steel, Capacity 2 Ltrs (approx). Flow Measurement: Rotameter 2 Nos. (one each for Reactants) Piping: Stainless Steel and PVC Pressure Regulator: 0-2 Kg/cm2 Objectives:- Sponification Reaction Study in Coil Tube Type Plug Flow Reactor Sponification Reaction Study in an MFR. Sponification Reaction Study in a Combined Reactor To determine Reaction Rate Constant. Required for Operation:- Water Supply & Drain Compressed Air Supply at 2 Bar, 0.5 CFM. Instruments, Laboratory Glassware, and Chemicals required for analysis as per the system adopted.", "brand": "Educational Lab Equipments", "sku": "5", "gtin8": "5", "gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating", "ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "15" } }
```

Educational Lab Equipments,
#449, HSIIDC, Industrial Area, Saha, Haryana
Direct Contact Details  +91-98173-19615  sales@educational-equipments.com
 www.educational-equipments.com