


**Product Code . EL-SM-11906**

## Plate Bearing Test



### Description

---

#### Plate Bearing Test

##### Use:-

For estimating the bearing capacity of shallow foundations and for the design of flexible pavement; also used for load tests of soil and flexible pavement components.

##### Specification:-

Hydraulic jack with fixed pumping unit capacity: 0-500 kN. x 0.5 kN.

4 Top end plate, 50mm, dia with a male thread for fitting onto the extension rods and positioning the dial gauge plunger.

2 Column 15cm dia x 25cm long with flanges complete with four bolts and nuts.

1 Column 15cm x 50cm long with flanges complete with four bolts and nuts.

Pressure gauge and flexible metal pipe 5m long - 1No.

1 Special ball and socket arrangement between the jack and the bearing plate.

16 Extension rod 12mm. dia x 25cm long.

---

4 Magnetic base with a female thread on top for holding extension rod.

1 Bridge support for welded steel angle construction, 5m, span and stands approximately 30cm, high, fitted with two quick release clamps, dial bracket.

Plane M.S (Mild Steel) Plate 60 cms x 60cms sq. x 25mm thick.

Plane M.S.Plate 45cms x 45cm.sq. x 25mm thick.

Plane M.S.Plate 30cms x 30cm.sq. x 25mm thick.

4 Dial Gauge 0.01mm x 25mm.

### **Accessories:-**

Plane Mild Steel (M.S) Plate 75cm x 25mm thick.

Plane M.S. Plate 50cm x 25mm thick.

Grooved M.S. Plate:-

60cm x 60cm x 25mm thick,

75cm x 75cm x 25mm thick.

45cm x 45cm x 25mm thick,

30cm x 30cm x 25mm thick,

Flexible rubber pipe 1m. Length for the hydraulic jack in the place of metal pipe.

{ "@context": "https://schema.org/", "@type": "Product", "name": "Plate Bearing Test", "image": "http://www.educational-

equipments.com/images/catalog/product/964374478PlateBearingTestWithlogo.jpg", "description":

"Use:- For estimating the bearing capacity of shallow foundations and for the design of flexible pavement; also used for load tests of soil and flexible pavement components. Specification:-

Hydraulic jack with fixed pumping unit capacity: 0-500 kN. x 0.5 kN. 4 Top end plate, 50mm, dia with a male thread for fitting onto the extension rods and positioning the dial gauge plunger. 2 Column 15cm dia x 25cm long with flanges complete with four bolts and nuts. 1 Column 15cm x 50cm long with flanges complete with four bolts and nuts. Pressure gauge and flexible metal pipe 5m long - 1No.




1 Special ball and socket arrangement between the jack and the bearing plate. 16 Extension rod 12mm. dia x 25cm long. 4 Magnetic base with a female thread on top for holding extension rod. 1

Bridge support for welded steel angle construction, 5m, span and stands approximately 30cm, high, fitted with two quick release clamps, dial bracket. Plane M.S (Mild Steel) Plate 60 cms x 60cms sq. x 25mm thick. Plane M.S.Plate 45cms x 45cm.sq. x 25mm thick. Plane M.S.Plate 30cms x 30cm.sq. x 25mm thick. 4 Dial Gauge 0.01mm x 25mm. Accessories:- Plane Mild Steel (M.S) Plate 75cm x 25mm thick. Plane M.S. Plate 50cm x 25mm thick. Grooved M.S. Plate:- 60cm x 60cm x 25mm thick, 75cm x 75cm x 25mm thick. 45cm x 45cm x 25mm thick, 30cm x 30cm x 25mm thick, Flexible rubber

---

pipe 1m. Length for the hydraulic jack in the place of metal pipe.", "brand": "Educational Lab Equipments", "sku": "5", "gtin8": "5", "gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating", "ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "15" } }

---

Educational Lab Equipments,  
#449, HSIIDC, Industrial Area, Saha, Haryana  
Direct Contact Details  +91-98173-19615  sales@educational-equipments.com  
 [www.educational-equipments.com](http://www.educational-equipments.com)